


MF-01X CHASSIS OPTION PARTS



MF-01X CHASSIS

Basic Upgrade Parts Suspension Parts Transmission Parts Tires & Wheels



54658	1	MF-01X Aluminum Servo Mount
54247	2	3x18mm Aluminum Turnbuckle Shaft (2pcs.)
54660	3	MF-01X Aluminum Motor Mount
54000	4	M-Chassis Aluminum Damper Set (4pcs.)
54237	5	M-05 Low Friction King Pin (4pcs.)
54614	6	M-05 Ver.II Carbon Reinforced L Parts (Suspension Arms)
53267	7	TA03 Ball Differential
53597	8	M03 Assembly Universal Shaft Set
54643	9	MF-01X Ball Bearing Set

51000
※Use with 54120

Hi-Torque Servo Saver (Black)

54120
※Use with 51000

Aluminum Horn for Hi-Torque Servo Saver (M-Chassis)

54863
※Use with 51000

Aluminum Hi-Torque Servo Saver Cap

54658 1

MF-01X Aluminum Servo Mount

54862
※1

Aluminum Servo Step Screws (4pcs.)

54409

3x14mm Low Friction Step Screw (4pcs.)

53823

Clamp Type Aluminum Wheel Hub (5mm Thick)

53569

Clamp Type Aluminum Wheel Hub (6mm Thick)

54573

0.75mm Wheel Spacer (Blue/8pcs.)

53646

Wheel Spacer (Blue)
※0.5mm×4 1mm×4

54249

3x32mm Aluminum Turnbuckle Shaft (2pcs.)

53527

3x32mm Titanium Turnbuckle Shafts (2pcs.)

54247 2

3x18mm Aluminum Turnbuckle Shaft (2pcs.)

53525

3x18mm Titanium Turnbuckle Shafts (2pcs.)

54660 3

MF-01X Aluminum Motor Mount

54358

RS-540 Torque-Tuned Motor

53068

RS-540 Sport Tuned Motor

53983

Lightly-Tuned Motor (28T)

53779

GT-Tuned Motor (25T)

54391

UGT-Tuned Motor (24T)

54895

Tamiya Brushless Motor 02 (Sensored) 21.5T

54894

Tamiya Brushless Motor 02 (Sensored) 17.5T

53598

Fluorine Coated 5mm Aluminum Ball Connector (10pcs.)

53642

5mm Aluminum Ball Connector (Blue)

53601

Low Friction 5mm Adjuster (8pcs.)

53159

4mm Anodized Aluminum Flange Lock Nuts (Blue, 5pcs.)

42143

4mm Aluminum Serrated Wheel Nut (4pcs./Blue)

42245

Aluminum Body Adjuster Mount

54384

5mm Body Adjustment O-Ring (10pcs.)

54604

Body Mount Extension Set

42280

VG Fluorine Coating Liquid

42231
※Use with screws.

Ball Nuts for TRF Dampers (4pcs.)

50746
※2

CVA Super Mini Shock Unit Set

54000 4
※2

M-Chassis Aluminum Damper Set (4pcs.)





42168

Touring Car Short Spring Set (Black)

54044
※Use with 54000

M-Chassis Aluminum Damper Titanium Coated Piston Rod (2pcs.)

<p>53443</p> <p>Silicone Damper Oil Soft Set (#200, #300, #400)</p>	<p>53444</p> <p>Silicone Damper Oil Medium Set (#500, #600, #700)</p>	<p>53445</p> <p>Silicone Damper Oil Hard Set (#800, #900, #1000)</p>	<p>54237 5</p> <p>M-05 Low Friction King Pin (4pcs.)</p>	<p>54606</p> <p>M-05 Ver.II One-Piece Suspension Arm Set</p>	<p>54614 6</p> <p>M-05 Ver.II Carbon Reinforced L Parts (Suspension Arms)</p>
<p>53301</p> <p>TL01 Stainless Steel Suspension Shaft Set</p>	<p>54613</p> <p>M-05 Ver.II Stainless Steel Suspension Shaft Set</p>	<p>54212</p> <p>M-Chassis 3x37mm Titanium Coated Suspension Shafts (2pcs.)</p>	<p>54213</p> <p>M-Chassis 3x48.5mm Titanium Coated Suspension Shafts (2pcs.)</p>	<p>54615</p> <p>M-05 Ver.II 3x58mm Titanium Coated Suspension Shaft (2pcs.)</p>	<p>54855</p> <p>φ5.5x0.5mm POM Spacer (4pcs.)</p>
<p>53267 7</p> <p>TA03 Ball Differential</p>	<p>54194</p> <p>M-05 Ball Differential Set</p>	<p>54238</p> <p>M-05Ra Reinforced Ball Differential Joint Set</p>	<p>42300</p> <p>Double Cardan Joint Shaft (M-Chassis, 2pcs.)</p>	<p>42320</p> <p>Lightweight Joint Casings for Double Cardan Joint Shafts (2pcs.)</p>	<p>42319</p> <p>Lightweight Cross Joints for Double Cardan Joint Shafts (4pcs.)</p>
<p>53597 8</p> <p>M-03 Assembly Universal Shaft Set</p>	<p>54623</p> <p>M-Chassis Wheel Axle w/Axle Ring</p>	<p>50354</p> <p>16T, 17T AV Pinion Gear Set</p>	<p>50355</p> <p>18T, 19T AV Pinion Gear Set</p>	<p>50356</p> <p>20T, 21T AV Pinion Gear Set</p>	<p>50357</p> <p>22T, 23T AV Pinion Gear Set</p>
<p>54768</p> <p>06 Module Hard Coated Aluminum Pinion Gear (17T)</p>	<p>54769</p> <p>06 Module Hard Coated Aluminum Pinion Gear (18T)</p>	<p>54770</p> <p>06 Module Hard Coated Aluminum Pinion Gear (22T)</p>	<p>54654</p> <p>MF-01X S Wheelbase Propeller Shaft</p>	<p>54655</p> <p>MF-01X L Wheelbase Propeller Shaft</p>	<p>54643 9</p> <p>MF-01X Ball Bearing Set</p>
<p>53227 Touring car size</p> <p>1/10 Touring Car M2 Radial Tires (1 Pair)</p>	<p>53113 Touring car size</p> <p>Racing Radial/Slick Inner Sponge Set</p>	<p>53156 Touring car size</p> <p>Hard Inner Sponge Set (4WD/FWD Touring & Rally Car)</p>	<p>53232 Touring car size</p> <p>1/10 Scale One-Piece Racing Spoke Wheels (1 Pair)</p>	<p>54674 Touring car size</p> <p>White Split 5-Spoke Wheels (26mm Width, Offset +2) 4pcs.</p>	<p>51021 Touring car size</p> <p>Rally Dish Wheels 4pcs. (White, 26mm/+2)</p>
<p>50684 M-Chassis size</p> <p>M-Chassis 60D M-Grip Radial Tires (1 pair)</p>	<p>54995 M-Chassis size</p> <p>M-Chassis 60D Super Radial Tires (Soft/2pcs.)</p>	<p>54999 M-Chassis size</p> <p>M-Chassis 60D Super Radial Tires (Hard/2pcs.)</p>	<p>53340 M-Chassis size</p> <p>M-Chassis 60D Reinforced Tires Type-A (1 Pair)</p>	<p>51427 M-Chassis size</p> <p>60D Rally Block Tire (2pcs.)</p>	<p>54590 M-Chassis size</p> <p>M-Chassis Inner Sponge (Super Hard, 4pcs.)</p>
<p>53255 M-Chassis size</p> <p>M-Chassis 60D Inner Sponge, Hard (4pcs.)</p>	<p>50686 M-Chassis size</p> <p>M-Chassis 60D Inner Sponge Set</p>	<p>50569 M-Chassis size</p> <p>M-Chassis 8-Spoke Wheels 2pcs. (Silver)</p>	<p>50676 M-Chassis size</p> <p>M-Chassis 8-Spoke Wheels 2pcs. (Plated)</p>	<p>53341 M-Chassis size</p> <p>M-Chassis 8-Spoke Wheels 2pcs. (Carbon Reinforced)</p>	<p>54824 M-Chassis size</p> <p>M-Chassis 11-Spoke Wheels (Chrome Plated, 2pcs.)</p>

<p>51237 M-Chassis size</p>  <p>M-Chassis 11-Spoke Wheels 4pcs. (White)</p>	<p>51665 M-Chassis size</p>  <p>M-Chassis 11-Spoke Wheels (Black, 4pcs.)</p>	<p>51394 M-Chassis size</p>  <p>M-Chassis 11-Spoke Racing Wheel (4pcs.)</p>	<p>51362 M-Chassis size</p>  <p>M-Chassis 18-Spoke Wheels (4pcs.)</p>	<p>51334 M-Chassis size</p>  <p>M-Chassis Flat 8-Spoke Wheels 4pcs. (Silver)</p>	<p>51659 M-Chassis size</p>  <p>C-Shaped 10-Spoke Wheels (Black) 4pcs.</p>
<p>51405 M-Chassis size</p>  <p>C-Shaped 10-Spoke Wheel (4pcs.)</p>	<p>54511</p>  <p>CA Cement for Rubber Tires (Low Viscosity, 25g)</p>				

The MF-01X chassis is compatible with both touring car and M-Chassis size wheels and tires. Ensure that those installed are of the same size.

- ※1 Some servos may not be attached using 4 step screws. ※2 Separately sold 5mm ball connectors, etc. are required for attachment to chassis.
- ※3 Use with Item 54613 M-05 Ver.II Stainless Steel Suspension Shaft Set or Item 54615 M-05 Ver.II 3x58mm Titanium Coated Suspension Shaft (2pcs).
- ※4 Use with Item 54606 M-05 Ver.II One-Piece Lower Suspension Arm Set or Item 54614 M-05 Ver.II Carbon Reinforced L Parts (Suspension Arms).
- ※5 Can only be used in front differential. Use with Item 53597 M03 Assembly Universal Shaft Set or Item 42300 Double Cardan Joint Shaft (M-Chassis, 2pcs).
If driving off-road, use with Item 54238 M-05Ra Reinforced Ball Differential Joint Set is recommended.
- ※6 Shave down areas that come into contact with uprights and hub carriers.
- ※7 Use with Item 53597 M03 Assembly Universal Shaft Set. Not compatible with Item 42300 Double Cardan Joint Shaft (M-Chassis, 2pcs).
- ※8 Used when changing chassis wheelbase.

- Information is current as of September 2022. ●Products may differ from the images shown.
- Specifications are subject to change without notice. ●This catalog lists the major parts compatible with the chassis.
- See the R/C Parts Matching List on www.tamiya.com for a list of parts and their compatible chassis.