


TC-01 CHASSIS OPTION PARTS



TC-01 CHASSIS SHAFT DRIVEN 4WD

Basic Upgrade Parts Suspension Parts Transmission Parts Tires & Wheels



54958	1	TC-01 Aluminum Steering Arms (L/R)
54957	2	TC-01 Aluminum Steering Bridge
54962	3	TC-01 Carbon Front Stiffeners
54955	4	TC-01 Aluminum Rocker Arms (2pcs.)
42354	5	TRF Big Bore Dampers+ (4pcs.)
54760	6	M-07 Concept Aluminum Rear Suspension Mount
54961	7	TC-01 Double Cardan Propeller Shaft
54515	8	XV-01 Assembly Universal Shaft (Front/2pcs.)
22000	9	Reinforced Racing Tires (Medium, 24mm/2pcs.)

<p>54958 1</p> <p>TC-01 Aluminum Steering Arms (L/R)</p>	<p>54957 2</p> <p>TC-01 Aluminum Steering Bridge</p>	<p>54893</p> <p>Aluminum Adjustable Servo Horn</p>	<p>54121</p> <p>Aluminum Horn for Hi-Torque Servo Saver</p>	<p>54863</p> <p>Aluminum Hi-Torque Servo Saver Cap</p>	<p>54862</p> <p>Aluminum Servo Step Screws (4pcs.)</p>
<p>54962 3</p> <p>TC-01 Carbon Front Stiffeners</p>	<p>54986</p> <p>TC-01 Carbon Battery Holders</p>	<p>54573</p> <p>0.75mm Wheel Spacer (Blue/8pcs.)</p>	<p>53646</p> <p>Wheel Spacer (Blue)</p>	<p>53570</p> <p>Clamp Type Aluminum Wheel Hub (4mm thick)</p>	<p>53823</p> <p>Clamp Type Aluminum Wheel Hub (5mm Thick)</p>
<p>54249</p> <p>3x32mm Aluminum Turnbuckle Shaft (2pcs.)</p>	<p>54250</p> <p>3x42mm Aluminum Turnbuckle Shaft (2pcs.)</p>	<p>54591</p> <p>Battery Ballast Weight (Half Size/2pcs.)</p>	<p>54392</p> <p>FL-Tuned Motor (30T)</p>	<p>54358</p> <p>RS-540 Torque-Tuned Motor</p>	<p>53068</p> <p>RS-540 Sport Tuned Motor</p>
<p>53983</p> <p>Lightly-Tuned Motor (28T)</p>	<p>53779</p> <p>GT-Tuned Motor (25T)</p>	<p>54391</p> <p>UGT-Tuned Motor (24T)</p>	<p>54895</p> <p>Tamiya Brushless Motor 02 (Sensored) 21.5T</p>	<p>54894</p> <p>Tamiya Brushless Motor 02 (Sensored) 17.5T</p>	<p>54612</p> <p>Tamiya Brushless Motor 02 (Sensored) 15.5T</p>
<p>54611</p> <p>Tamiya Brushless Motor 02 (Sensored) 10.5T</p>	<p>54782</p> <p>Touring Car Carbon Body Mount Crossmember (Front)</p>	<p>54783</p> <p>Touring Car Carbon Body Mount Crossmember (Rear)</p>	<p>53642</p> <p>5mm Aluminum Ball Connector (Blue)</p>	<p>53598</p> <p>Fluorine Coated 5mm Aluminum Ball Connector (10pcs.)</p>	<p>53906</p> <p>5x5mm Aluminum Hex Head Ball Connector (5pcs.)</p>
<p>53968</p> <p>5x5mm Hard Hex Head Ball Head Connector (5pcs.)</p>	<p>53907</p> <p>5x8mm Aluminum Hex Head Ball Connector (5pcs.)</p>	<p>53969</p> <p>5x8mm Hard Hex Head Ball Head Connector (5pcs.)</p>	<p>53640</p> <p>5mm Aluminum Ball Nut (Blue)</p>	<p>53869</p> <p>5mm Aluminum Short Ball Nut (Blue / 10pcs.)</p>	<p>53601</p> <p>Low Friction 5mm Adjuster (8pcs.)</p>

TC-01 CHASSIS OPTION PARTS

Basic Upgrade Parts Suspension Parts Transmission Parts Tires & Wheels

<p>54868</p> <p>Open Face 5mm Reinforced Adjusters (Medium/8pcs.)</p>	<p>54869</p> <p>Open Face 5mm Reinforced Adjusters (Long/8pcs.)</p>	<p>53539</p> <p>φ5.5mm Aluminum Spacer Set</p>	<p>54694</p> <p>Rubber Anti-Slip Sheet</p>	<p>54384</p> <p>5mm Body Adjustment O-Ring (10pcs.)</p>	<p>42245</p> <p>Aluminum Body Adjuster Mount</p>
<p>54604</p> <p>Body Mount Extension Set</p>	<p>54155</p> <p>3mm Thin Aluminum Lock Nut (5pcs./Blue)</p>	<p>53159</p> <p>4mm Anodized Aluminum Flange Lock Nuts (Blue, 5pcs.)</p>	<p>42143</p> <p>4mm Aluminum Serrated Wheel Nut (4pcs./Blue)</p>	<p>42282</p> <p>4mm Serrated Wheel Nut (Black/8pcs.)</p>	<p>42280</p> <p>VG Fluorine Coating Liquid</p>
<p>54955 4</p> <p>TC-01 Aluminum Rocker Arms (2pcs.)</p>	<p>54963</p> <p>TC-01 Aluminum Rocker Arm Posts (4pcs.)</p>	<p>22016</p> <p>※Needs 2 sets to fully kit out chassis.</p> <p>TA08 Low Friction King Pin Balls (4pcs.)</p>	<p>42231</p> <p>※Use with standard or grub screws.</p> <p>Ball Nuts for TRF Dampers (4pcs.)</p>	<p>42102</p> <p>※4</p> <p>TRF Special Damper (Hard Black Coating)</p>	<p>42354 5</p> <p>※4</p> <p>TRF Big Bore Dampers+ (4pcs.)</p>
<p>54960</p> <p>TC-01 Aluminum Damper Extenders (4pcs.)</p>	<p>54043</p> <p>TRF501X Damper Hard Titanium Coated Piston Rod (Rear/2pcs.)</p>	<p>53918</p> <p>※5</p> <p>TRF Damper Low Friction V Parts (Damper Collar) 2pcs.</p>	<p>54871</p> <p>※5</p> <p>Reinforced V Parts for TRF Dampers</p>	<p>54730</p> <p>※5</p> <p>TRF Damper Rod Guide (Hard, 4pcs.)</p>	<p>53440</p> <p>On-Road Tuned Hard Spring Set</p>
<p>54797</p> <p>Touring Car Short Spring Set II</p>	<p>54465</p> <p>XV-01 Dirt Spring Set (Hard, Medium, Soft)</p>	<p>53443</p> <p>Silicone Damper Oil Soft Set (#200 · #300 · #400)</p>	<p>53444</p> <p>Silicone Damper Oil Medium Set (#500 · #600 · #700)</p>	<p>53445</p> <p>Silicone Damper Oil Hard Set (#800 · #900 · #1000)</p>	<p>54855</p> <p>φ5.5x0.5mm POM Spacer (4pcs.)</p>
<p>54760 6</p> <p>M-07 Concept Aluminum Rear Suspension Mount</p>	<p>54787</p> <p>M-07 Concept Aluminum Rear Suspension Mount (Skid Angle Adjustment)</p>	<p>54987</p> <p>Suspension Mount Shim Set</p>	<p>53851</p> <p>46mm Titanium Coated Suspension Shafts 2pcs.</p>	<p>53709</p> <p>※Use with 54760 or 54787.</p> <p>Fluorine Coated Suspension Ball (8pcs.)</p>	<p>54747</p> <p>※Use with 54760 or 54787.</p> <p>Low Friction Resin 5mm Suspension Ball (8pcs.)</p>
<p>54956</p> <p>TC-01 Stabilizer Set</p>	<p>54521</p> <p>TB-04 Front One-Way Set (40T)</p>	<p>42324</p> <p>TB-05 Aluminum Diff Housing Set</p>	<p>42259</p> <p>5mm Gear Differential O-Rings (Red/8pcs.)</p>	<p>54533</p> <p>Cross Shaft for TB-04 Gear Differential Unit</p>	<p>54540</p> <p>Steel Bevel Gears for TB-04 Gear Differential Unit</p>
<p>54593</p> <p>※6</p> <p>TB-04 Reinforced Gear Set</p>	<p>54543</p> <p>※7</p> <p>Aluminum Cup Joints for TB-04 Gear Differential Unit (Long & Short)</p>	<p>54589</p> <p>Gear Differential Shim Set</p>	<p>54656</p> <p>Silicone Oil #2000</p>	<p>54657</p> <p>Silicone Oil #3000</p>	<p>54294</p> <p>Silicone Diff. Oil #100000</p>

TC-01 CHASSIS OPTION PARTS

Basic Upgrade Parts Suspension Parts Transmission Parts Tires & Wheels

<p>54988</p>  <p>Silicone Diff. Oil #300000</p>	<p>54418</p>  <p>Silicone Diff. Oil #500000</p>	<p>54419</p>  <p>Silicone Diff. Oil #1000000</p>	<p>42247</p>  <p>Gear Differential Putty</p>	<p>54903</p>  <p>TB-05 Aluminum Spur Gear Holder</p>	<p>54975</p>  <p>TC-01 Universal Propeller Shaft (1 Set)</p>
<p>54961 7</p>  <p>TC-01 Double Cardan Propeller Shaft</p>	<p>54515 8</p>  <p>XV-01 Assembly Universal Shaft (Front/2pcs.)</p>	<p>53505 9</p>  <p>39mm Swing Shafts for Assembly Universal Shaft Set</p>	<p>53506 9</p>  <p>39mm Lightweight Rear Swing Shafts for Assembly Universal Shaft Set</p>	<p>42321</p>  <p>Lightweight Cross Joints for Assembly Universal Shafts (2pcs.)</p>	<p>50357</p>  <p>22T, 23T AV Pinion Gear Set</p>
<p>50477</p>  <p>24T, 25T AV Pinion Gear Set</p>	<p>54228</p>  <p>Fluorine Coated 06 Module Pinion Gear (26T, 27T)</p>	<p>54229</p>  <p>Fluorine Coated 06 Module Pinion Gear (28T, 29T)</p>	<p>54770</p>  <p>06 Module Hard Coated Aluminum Pinion Gear (22T)</p>	<p>54363</p>  <p>06 Module Hard Coated Aluminum Pinion Gear (23T)</p>	<p>54771</p>  <p>06 Module Hard Coated Aluminum Pinion Gear (24T)</p>
<p>54578</p>  <p>06 Module Hard Coated Aluminum Pinion Gear (25T)</p>	<p>54981</p>  <p>06 Module Hard Coated Aluminum Pinion Gear (27T)</p>	<p>42370</p>  <p>630 Sealed Ball Bearings (2pcs.)</p>	<p>42368</p>  <p>850 Sealed Ball Bearings (2pcs.)</p>	<p>42366</p>  <p>1050 Sealed Ball Bearings (2pcs.)</p>	<p>42365</p>  <p>1510 Sealed Ball Bearings (2pcs.)</p>
<p>42367</p>  <p>950 Sealed Flanged Ball Bearings (2pcs.)</p>	<p>53956</p>  <p>10-Spoke Metal Plated Wheel w/Cemented Radial Tire 2pcs. (24mm Offset 0)</p>	<p>53955</p>  <p>5-Spoke Metal Plated Wheel w/Cemented Radial Tire 2pcs. (24mm Offset 0)</p>	<p>51023</p>  <p>Medium-Narrow Racing Radial Tires</p>	<p>51049</p>  <p>1/10 Medium-Narrow Racing Slicks</p>	<p>54994</p>  <p>Reinforced Racing Tires (Soft, 24mm/2pcs.)</p>
<p>22000 9</p>  <p>Reinforced Racing Tires (Medium, 24mm/2pcs.)</p>	<p>22001</p>  <p>Reinforced Racing Tires (Hard, 24mm/2pcs.)</p>	<p>53705</p>  <p>Reinforced Tires Type B3 (24mm Width, 4pcs.)</p>	<p>54952</p>  <p>Reinforced Tires Type C2 (24mm, 2pcs.)</p>	<p>53434</p>  <p>Medium-Narrow Soft Inner Foam (1 pair)</p>	<p>53582</p>  <p>Medium-Narrow Medium Inner Foam (1 pair)</p>
<p>53435</p>  <p>Medium-Narrow Hard Inner Foam (1 pair)</p>	<p>53471</p>  <p>Medium-Narrow White 5-Spoke Wheels (Offset 0)</p>	<p>51299</p>  <p>Medium-Narrow 12-Spoke Wheels 4pcs. (24mm Width/Offset+2)</p>	<p>53468</p>  <p>Medium-Narrow White Mesh Wheels (Offset 2)</p>	<p>22067</p>  <p>TH 10-Spoke Wheels (White) (24mm Width, Offset 0)</p>	<p>54851</p>  <p>Medium-Narrow Rally Dish Wheels (24mm Width, Offset 0) (White) 4pcs.</p>
<p>54852</p>  <p>Medium-Narrow 18-Spoke Wheels (24mm Width, Offset 0) (Fluorescent Yellow) 4pcs.</p>	<p>54850</p>  <p>Medium-Narrow Mesh Wheels (24mm Width, Offset +2) (Fluorescent Yellow) 4pcs.</p>	<p>51022</p>  <p>1/10 Medium-Narrow 10-Spoke Wheels (Offset 0)</p>	<p>53453</p>  <p>Medium-Narrow 6-Spoke Wheels (Offset +2)</p>	<p>54853</p>  <p>Medium-Narrow Twin 5-Spoke Wheels (24mm Width, Offset +2) (Black) 4pcs.</p>	<p>53859</p>  <p>5-Spoke Metal Plated Wheels 4pcs. (24mm Offset 0)</p>



- ※1 Some sizes of servo may not allow use of all 4 screws to attach.
- ※2 Use with Item 54869 Open Face 5mm Reinforced Adjusters (Long/8pcs.). Can be used in place of kit A12 parts as an adjustable torque rod.
- ※3 Only when using touring car body mounts.
- ※4 Use with kit 49.6mm piston rods or Item 54043 TRF501X Damper Hard Titanium Coated Piston Rod (Rear/2pcs.).
- ※5 Use with one of Item 53571 TRF Damper Set (Fluorine Coated), Item 42102 TRF Special Damper (Hard Black Coating) and Item 42354 TRF Big Bore Dampers+ (4pcs.).
- ※6 Some gears are not used on the TC-01 chassis.
- ※7 Replace swing shaft with Item 53505 39mm Swing Shafts for Assembly Universal Shaft Set or Item 53506 39mm Lightweight Rear Swing Shafts for Assembly Universal Shaft Set if using with Item 54515 XV-01 Assembly Universal Shaft (Front/2pcs.).
- ※8 Replace swing shaft with Item 53505 39mm Swing Shafts for Assembly Universal Shaft Set or Item 53506 39mm Lightweight Rear Swing Shafts for Assembly Universal Shaft Set if using with Item 54543 Aluminum Cup Joints for TB-04 Gear Differential Unit (Long & Short).
- ※9 Use when combining Item 54515 XV-01 Assembly Universal Shaft (Front/2pcs.) and Item 54543 Aluminum Cup Joints for TB-04 Gear Differential Unit (Long & Short).