


TT-02 CHASSIS OPTION & SPARE PARTS



Basic Upgrade Parts Suspension Parts Transmission Parts Tires & Wheels



53983	1	Lightly-Tuned Motor (28T)
42102	2	TRF Special Damper (Hard Black Coating)
54500	3	TT-02 High Speed Gear Set (68T)
54501	4	TT-02 Aluminum Propeller Shaft
54502	5	TT-02 Aluminum Propeller Joint
53671	6	TT-01 Front One-Way Unit
53663	7	Ball Differential Set (TT-01, TGS)
54476	8	TT-02 Ball Bearing Set
53433	9	Medium-Narrow Reinforced Tires Type-A (1 pair)

OPTION PARTS

Set up the TT-02 chassis just how you want with Option and Spare Parts!

<p>54574</p> <p>TT-02 Aluminum Racing Steering Set</p>	<p>54575</p> <p>TT-02 Aluminum Steering Bridge</p>	<p>54799</p> <p>TT-02 Hi-Torque Servo Saver Set (w/Aluminum Horn)</p>	<p>54752</p> <p>TT-02 Steering Upgrade Parts Set</p>	<p>54926</p> <p>TT-02 Lower Deck (Hard/Black)</p>	<p>54550</p> <p>※Not compatible with 54574.</p> <p>TT-02 3x18mm Low Friction Step Screw (2pcs.)</p>
<p>54409</p> <p>3x14mm Low Friction Step Screw (4pcs.)</p>	<p>54814</p> <p>TT-02 Carbon Bumper Support</p>	<p>53683</p> <p>Urethane Bumper M / Blue (TT-01, TGS)</p>	<p>54819</p> <p>Urethane Bumper XL (Black) (TT-02, TT-01 Type-E)</p>	<p>54862</p> <p>※1</p> <p>Aluminum Servo Step Screws (4pcs.)</p>	<p>54977</p> <p>TT-02 Aluminum Servo Mount</p>
<p>54555</p> <p>TT-02 FRP Battery Plate & Transponder Stay Set</p>	<p>54558</p> <p>TT-02 Aluminum Motor Mount</p>	<p>54571</p> <p>※2</p> <p>TT-02 Aluminum Motor Heat Sink</p>	<p>54358</p> <p>※3</p> <p>RS-540 Torque-Tuned Motor</p>	<p>53068</p> <p>※3</p> <p>RS-540 Sport Tuned Motor</p>	<p>53983</p> <p>1</p> <p>※3</p> <p>Lightly-Tuned Motor (28T)</p>
<p>53779</p> <p>※3</p> <p>GT-Tuned Motor (25T)</p>	<p>54391</p> <p>※3</p> <p>UGT-Tuned Motor (24T)</p>	<p>54895</p> <p>※3</p> <p>Tamiya Brushless Motor 02 (Sensored) 21.5T</p>	<p>54894</p> <p>※3</p> <p>Tamiya Brushless Motor 02 (Sensored) 17.5T</p>	<p>54612</p> <p>※3</p> <p>Tamiya Brushless Motor 02 (Sensored) 15.5T</p>	<p>54604</p> <p>Body Mount Extension Set</p>
<p>54783</p> <p>Touring Car Carbon Body Mount Crossmember (Rear)</p>	<p>22023</p> <p>※4</p> <p>TT-02 Chassis Cover Set</p>	<p>54874</p> <p>※5 ※6</p> <p>TT-02 Adjustable Upper Arm Set</p>	<p>54947</p> <p>※7 ※8</p> <p>TT-02 Carbon Damper Stay II (3.5mm Thick)</p>	<p>54559</p> <p>※7</p> <p>TT-02 Low Friction Suspension Ball (4pcs.)</p>	<p>54549</p> <p>※7</p> <p>TT-02 Aluminum Rear Upright (2.5)</p>
<p>54733</p> <p>※7</p> <p>TT-02 Aluminum Rear Uprights (3.0)</p>	<p>54753</p> <p>TT-02 CVA Super Mini Shock Unit Set (4pcs.)</p>	<p>42102</p> <p>2</p> <p>TRF Special Damper (Hard Black Coating)</p>	<p>53440</p> <p>On-Road Tuned Hard Spring Set</p>	<p>54395</p> <p>※7</p> <p>3x22mm Low Friction Suspension Shaft (DT-02 & TT-01 Chassis, 4pcs.)</p>	<p>50357</p> <p>22T, 23T AV Pinion Gear Set</p>

TT-02 CHASSIS OPTION PARTS

Basic Upgrade Parts Suspension Parts Transmission Parts Tires & Wheels

<p>50477</p>  <p>24T, 25T AV Pinion Gear Set</p>	<p>54228 ※9</p>  <p>Fluorine Coated 06 Module Pinion Gear (26T, 27T)</p>	<p>54500 3 ※4</p>  <p>TT-02 High Speed Gear Set (68T)</p>	<p>54501 4</p>  <p>TT-02 Aluminum Propeller Shaft</p>	<p>54502 5</p>  <p>TT-02 Aluminum Propeller Joint</p>	<p>53792 ※6 ※9 ※10</p>  <p>Assembly Universal Shaft (TT-01, TA04)</p>
<p>53506 ※Use with Item 53792</p>  <p>39mm Lightweight Rear Swing Shafts for Assembly Universal Shaft Set</p>	<p>53671 6 ※11</p>  <p>TT-01 Front One-Way Unit</p>	<p>54649 ※11</p>  <p>TT-02 Differential Locking Block</p>	<p>22047 ※11</p>  <p>XV-02/TT-02 Front Direct Coupling Set (39T)</p>	<p>53663 7 ※11</p>  <p>Ball Differential Set (TT-01, TGS)</p>	<p>22046 ※11</p>  <p>XV-02/TT-02 Ball Differential Set (39T)</p>
<p>54875 ※11</p>  <p>TT-02 Oil Gear Differential Unit</p>	<p>22049 ※11</p>  <p>XV-02/TT-02 Oil Gear Differential Unit</p>	<p>53569 ※10</p>  <p>Clamp Type Aluminum Wheel Hub (6mm Thick)</p>	<p>53590 ※11</p>  <p>Cup Joint for TB-01 Reinforced Front One-Way Unit</p>	<p>53806 ※11</p>  <p>TT-01 Ball Differential Cup Joint for Universal Shaft</p>	<p>54477 ※11</p>  <p>Gearbox Joint for Universal Shaft (TT-02)</p>
<p>54476 8 26mm</p>  <p>TT-02 Ball Bearing Set</p>	<p>53224 26mm</p>  <p>1/10 4WD/FWD Touring Car M2 Slicks (1 pair)</p>	<p>53227 26mm</p>  <p>1/10 4WD/FWD Touring Car M2 Radial Tires (1 pair)</p>	<p>50810 26mm</p>  <p>Racing Semi-Slick Tires (1 pair)</p>	<p>50476 26mm</p>  <p>Rally Block Tires (1 pair)</p>	<p>54861 26mm</p>  <p>Rally Block Tires (Soft/2pcs.)</p>
<p>53295 26mm</p>  <p>Tire Inner Foam</p>	<p>53113 26mm</p>  <p>Racing Radial/Slick Inner Sponge Set</p>	<p>53156 26mm</p>  <p>Hard Inner Sponge Set (4WD/FWD Touring & Rally Car)</p>	<p>53232 26mm</p>  <p>1/10 One-Piece Racing Spoke Wheels (1 pair)</p>	<p>53336 26mm</p>  <p>Reinforced One-Piece Mesh Wheels (1 pair)</p>	<p>53335 26mm</p>  <p>Reinforced One-Piece Spoke Wheels (1 pair)</p>
<p>54794 26mm</p>  <p>Two-Piece Mesh Wheels (2pcs., Black)</p>	<p>54551 26mm</p>  <p>Red Plated 2-Piece 6-Spoke Wheels (26mm Width, Offset +2)</p>	<p>51023 24mm</p>  <p>Medium-Narrow Racing Radial Tires</p>	<p>51049 24mm</p>  <p>Medium-Narrow Racing Slicks</p>	<p>54994 24mm</p>  <p>Reinforced Racing Tires (Soft, 24mm/2pcs.)</p>	<p>22000 24mm</p>  <p>Reinforced Racing Tires (Medium, 24mm/2pcs.)</p>
<p>22001 24mm</p>  <p>Reinforced Racing Tires (Hard, 24mm/2pcs.)</p>	<p>53433 9 24mm</p>  <p>Medium-Narrow Reinforced Tires Type-A (1 pair)</p>	<p>53705 24mm</p>  <p>Reinforced Tires Type B3 (24mm Width, 4pcs.)</p>	<p>54952 24mm</p>  <p>Reinforced Tires Type C2 (24mm, 2pcs.)</p>	<p>53956 24mm</p>  <p>10-Spoke Metal Plated Wheel w/Cemented Radial Tire 2pcs. (24mm Offset 0)</p>	<p>53955 24mm</p>  <p>5-Spoke Metal Plated Wheel w/Cemented Radial Tire 2pcs. (24mm Offset 0)</p>
<p>53434 24mm</p>  <p>Medium-Narrow Soft Inner Foam (1 pair)</p>	<p>53582 24mm</p>  <p>Medium-Narrow Medium Inner Foam (1 pair)</p>	<p>53435 24mm</p>  <p>Medium-Narrow Hard Inner Foam (1 pair)</p>	<p>53453 24mm</p>  <p>Medium-Narrow 6-Spoke Wheels (Offset +2)</p>	<p>53471 24mm</p>  <p>Medium-Narrow White 5-Spoke Wheels (Offset 0)</p>	

Use tires, wheels and inner foam of the same width: either 26mm or 24mm ("medium-narrow").


- ※1 Some sizes of servo may not allow use of all 4 screws to attach.
- ※2 Only use with TT-02 chassis kit standard motor, Item 53689 540-J Motor, Item 53068 RS-540 Sport Tuned Motor or Item 54358 RS-540 Torque-Tuned Motor.
- ※3 Use with Item 54476 TT-02 Ball Bearing Set.
- ※4 Cover may obstruct tires when used on short wheelbase chassis with Item 54549 TT-02 Aluminum Rear Upright (2.5") or Item 54733 TT-02 Aluminum Rear Uprights (3.0").
- ※5 Use with Item 53792 Assembly Universal Shaft (TT-01, TA04).
- ※6 Cannot be used with Item 54639 TT-02 Carbon Damper Stay (Front), Item 53663 Ball Differential Set (TT-01, TGS) and Item 53671 TT-01 Front One-Way Unit.
- ※7 Cannot be used on TT-02 Type-S and TT-02D Type-S chassis cars. ※8 2 sets are required to fully kit out a chassis.
- ※9 Use with Item 54500 TT-02 High Speed Gear Set (68T). ※10 Cannot be used on cars with wide tread settings.
- ※11 See the following table for differential, drive shaft and cup joint compatibility.

	Kit-standard drive shafts	Item 53792 Assembly Universal Shaft (TT-01, TA04)	Universal shafts using Items 54623, 51700 and 51444*
Kit-standard differential	Kit-standard cup joints	Item 54477 Gearbox Joint for Universal Shaft (TT-02)	Not compatible.
Item 54649 TT-02 Differential Locking Block	Kit-standard cup joints	Item 54477 Gearbox Joint for Universal Shaft (TT-02)	Not compatible.
Item 53671 TT-01 Front One-Way Unit	Cup joints in Item 53671 TT-01 Front One-Way Unit	Item 53590 Cup Joint for TB-01 Reinforced Front One-Way Unit	Not compatible.
Item 53663 Ball Differential Set (TT-01, TGS)	Cup joints in Item 53663 Ball Differential Set (TT-01, TGS)	Item 53806 TT-01 Ball Differential Cup Joint for Universal Shaft	Not compatible.
Item 54875 TT-02 Oil Gear Differential Unit	Not compatible.	Cup joints in Item 54875 TT-02 Oil Gear Differential Unit	Not compatible.
Item 22047 XV-02/TT-02 Front Direct Coupling Set (39T)	Not compatible.	Not compatible.	Cup joints in Item 22047 XV-02/TT-02 Front Direct Coupling Set (39T)
Item 22046 XV-02/TT-02 Ball Differential Set (39T)	Not compatible.	Not compatible.	Cup joints in Item 22046 XV-02/TT-02 Ball Differential Set (39T)
Item 22049 XV-02/TT-02 Oil Gear Differential Unit	Not compatible.	Not compatible.	Cup joints in Item 22049 XV-02/TT-02 Oil Gear Differential Unit

*Universal shafts using Item 54623 M-Chassis Wheel Axle w/Axle Ring, Item 51700 37mm Swing Shafts for Assembly Universal Shaft and Item 51444 TRF417 Cross Joint Set.

SPARE PARTS

Spare parts keep your chassis in top condition!

<p>51532</p>  <p>TT-02 Lower Deck</p>	<p>51531</p>  <p>TT-02 G Parts (Gear)</p>	<p>51530</p>  <p>TT-02 D Parts (Motor Mount)</p>	<p>51529</p>  <p>TT-02 C Parts (Cup Joint)</p>	<p>51528</p>  <p>TT-02 B Parts (Suspension Arms)</p>	<p>51527</p>  <p>TT-02 A Parts (Upright)</p>
--	---	--	---	--	--

BATTERY PACKS & TOOLS

Use Tamiya products for reliable results!

<p>55085</p> <p>※12</p>  <p>Tamiya Ni-Cd Battery 7.2V-1300mAh Custom Pack</p>	<p>55095</p> <p>※12</p>  <p>Tamiya Ni-Cd Battery 7.2V Racing Pack 1600SP</p>	<p>55102</p> <p>※12</p>  <p>Tamiya LF Battery LF2200-6.6V Racing Pack</p>	<p>87099</p>  <p>Cera-Grease HG</p>	<p>87091</p>  <p>CA Cement (Gel Type)</p>	<p>54511</p>  <p>CA Cement for Rubber Tires (Low Viscosity, 25g)</p>
<p>54792</p>  <p>R/C Model Polycarbonate Body Reinforcing Mesh Tape</p>	<p>87190</p>  <p>R/C Model Polycarbonate Body Reinforcing Cement</p>	<p>74093</p>  <p>Modeler's Side Cutter α (Gray)</p>	<p>74005</p>  <p>Curved scissors for plastic</p>	<p>74153</p>  <p>Craft Knife II</p>	<p>74065</p>  <p>Non-Scratch Long Nose Pliers</p>
<p>74120</p>  <p>(+) Screwdriver PRO (L)</p>	<p>74119</p>  <p>(+) Screwdriver PRO (M)</p>	<p>74085</p>  <p>R/C Tool Set (8pcs.)</p>			

※12 Use battery charger compatible with each battery.

- Information is current as of November 2022. ● Products may differ from the images shown.
- This catalog lists the major parts compatible with the chassis.
- See the R/C Parts Matching List on www.tamiya.com for a list of parts and their compatible chassis.